

SOIL AND EROSION PLANS SUBMITTED FOR REVIEW AND APPROVAL
PROCEDURES AS FOLLOWS

As the review is being done, additional items may be requested if needed

- 5 SETS OF PLANS THAT INCLUDE THE FOLLOWING
 1. NAME AND PHONE NUMBER OF DEVELOPER and 24 HOUR CONTACT PERSON—CONTRACTORS LEVEL 1A CERTIFICATION NUMBER AND PHONE NUMBER
 2. DESIGN PROFESSIONAL **LEVEL IIA CERTIFICATION** NUMBER
 3. **APPLICATION FORM ATTACHED TO EACH SET OF PLANS**
 4. **THE CHECKLIST** REQUIRED BY THE SOIL AND WATER CONSERVATION COMMISSION AND THE GEORGIA DEPT. OF NATURAL RESOURCES **ATTACHED TO EACH SET.**
 5. 5 SETS OF THE HYDROLOGY CONTAINING:
 - a. Existing Conditions
 - b. Post development analysis
 - c. Downstream analysis
 - d. Operation and Maintenance Plan for Detention Ponds Construction phase and the Long Term plan for the Pond Maintenance
 - e. All pre and post topographical information, stream and/or state water delineation, wetlands and pollution prevention measures to be taken during construction and post development.
 - f. Specific information on all storm water management designs, structures and material types.
 - g. All other information required by the Soil and Water Conservation District, The State of Georgia or Catoosa County Ordinances

Plans are submitted to Catoosa County Stormwater Management Office and sent to the Georgia Department of Natural Resources-Soil and Water Conservation District Office for review. If not approved we will supply the Engineer with the deficiencies noted by the District Office and the plans will need to be resubmitted in the same procedures listed above. (Just as if it were the first submittal)

*A Copy of the plans is also submitted to a Designated Engineering Firm for Stormwater Drainage System NPDES regulations, county ordinances, and other possible design flaws. Although submitted as one plan, there are two parts of the plan. The Soil and Erosion and the NPDES (drainage) are the two parts. If you are requested to make changes to the Drainage system, detention ponds, or other storm water related issues, The Catoosa County Stormwater Management Director and/or the Designated County must review the drawings for this again before a Land Disturbing Permit can be issued. Please make sure you leave sufficient time for these reviews and changes so the project will not be delayed. * Several months may be necessary if plans are not approved on the first submittal and changes are needed on plans for the second or third submittals.*

***WHEN ALL PLANS ARE APPROVED YOU WILL NEED TO OBTAIN A LAND DISTURBING PERMIT AND SUPPLY THE FOLLOWING TO THE ISSUING AUTHORITY (Catoosa County Stormwater Management)**

- A Copy of you NOI and dated mail receipt for the mailing of this form:
NOI mail receipt needs to be dated 14 day before a Permit will be issued
- Copy of the NPDES General Permit Fee Form and copy of check attached to form that was submitted with \$40 per acres.